



DC ARGB Fan TRS1225 i SERIES 120X120X25mm



- Frame : PBT-GP
外框材質：環保防火PBT-GP
- Impeller : PBT-PC
扇葉材質：環保防火PBT-GP
- Fan Led Type : Light Emitting
Diodes 5050 Impeller X8
燈珠材質及數量：發光二極體 5050內8顆





Model No.	Bearing Type	Voltage (VDC)	Current (A)	Power (W)	Speed (RPM)	Air Flow (CFM)	Air Flow (m ³ /min)	Air Pressure (mmH ₂ O)	Air Pressure (Inch H ₂ O)	Noise (dBA)
TRS1225S12M.W.F.W.0	★	12 (5.0~13.8)	0.23	2.27	1800	48.5	1.37	1.3	0.05	30

DC ARGB Fan TRS1225 IB SERIES 120X120X25mm



- Frame : PBT-GP
外框材質：環保防火PBT-GP
- Impeller : PBT-PC
扇葉材質：環保防火PBT-GP
- Fan Led Type : Light Emitting
Diodes 5050 Impeller X8
燈珠材質及數量：發光二極體 5050內8顆



Model No.	Bearing Type	Voltage (VDC)	Current (A)	Power (W)	Speed (RPM)	Air Flow (CFM)	Air Flow (m ³ /min)	Air Pressure (mmH ₂ O)	Air Pressure (Inch H ₂ O)	Noise (dBA)
TRS1225S12M.W.F.B.0	★	12 (5.0~13.8)	0.23	2.27	1800	48.5	1.37	1.3	0.05	30

⊗ Bearing System ※ : Sleeve ★ : WRB Bearing ○ : Ball



★如果您需要的轉速或電壓或功能不在這份清單上，請與我們業務聯繫 Please contact us, if the SPEC you need is not in the list.

★產品詳細數據及功能請參閱承認書 Please see the approval sheet for more information . ★產品規格變更不另行通知 Specifications are subject to change without notice.

DC ARGB Fan TRS1225 IC SERIES 120X120X25mm



- Frame : PBT-HB
外框材質：環保防火PBT-HB
- Impeller : PBT-GP
扇葉材質：環保防火PBT-GP
- Fan Led Type : Light Emitting
Diodes 5050 Impeller 8+Frame 16
燈珠材質及數量：發光二極體
5050內8顆+外16顆





Model No.	Bearing Type	Voltage (VDC)	Current (A)	Power (W)	Speed (RPM)	Air Flow (CFM)	Air Flow (m ³ /min)	Air Pressure (mmH ₂ O)	Air Pressure (Inch H ₂ O)	Noise (dBA)
TRS1225S12M.W.R.W.1	★	12 (5.0~13.8)	0.18	2.16	1800	43.82	1.24	1.48	0.59	30.2

DC ARGB Fan TRS1225 ID SERIES 120X120X25mm



- Frame : PBT-HB
外框材質：環保防火PBT-HB
- Impeller : PBT-GP
扇葉材質：環保防火PBT-GP
- Fan Led Type : Light Emitting
Diodes 5050 Impeller 8+Frame 16
燈珠材質及數量：發光二極體
5050內8顆+外16顆




Model No.	Bearing Type	Voltage (VDC)	Current (A)	Power (W)	Speed (RPM)	Air Flow (CFM)	Air Flow (m ³ /min)	Air Pressure (mmH ₂ O)	Air Pressure (Inch H ₂ O)	Noise (dBA)
TRS1225S12M.W.R.B.1	★	12 (5.0~13.8)	0.18	2.16	1800	43.82	1.24	1.48	0.59	30.2

⊗ Bearing System ※ : Sleeve ★ : WRB Bearing ⊙ : Ball

★如果您需要的轉速或電壓或功能不在這份清單上，請與我們業務聯繫 Please contact us, if the SPEC you need is not in the list.

★產品詳細數據及功能請參閱承認書 Please see the approval sheet for more information . ★產品規格變更不另行通知 Specifications are subject to change without notice.





DC ARGB Fan

TRS1225 IE SERIES 120X120X25mm



- Frame : PBT-HB
外框材質：環保非防火PBT-HB
- Impeller : PC-GP
扇葉材質：環保非防火PC-GP



Model No.	Bearing Type	Voltage (VDC)	Current (A)	Power (W)	Speed (RPM)	Air Flow (CFM)	Air Flow (m ³ /min)	Air Pressure (mmH ₂ O)	Air Pressure (Inch H ₂ O)	Noise (dBA)
TRS1225S12M.W.R.W.1	★	12 (5.0~13.8)	0.19	2.28	1800	60.5	1.71	1.72	0.07	28.8